

Work Order ID 73421-2

Wednesday, August 31, 2011 3:16:33 PM

Page 1

Item ID: D6101-007

Accept

Setup Start

Revision ID:

Stop

Item Name: Saddle Billet

Start Date: 8/31/2011 Start Qty: 40.00

Required Date: 9/14/2011 Req'd Qty: 40.00

Cust Item ID:

Customer:

Reference:

Run Start

Approvals: Process Plan:

Date: 11/09/11

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D6101

Rev B

100

0.00



Purchasing

PURCHASING

Memo

0.00

Issue P/O:

a) Description: Aluminum billet

b) 7.750" x 8.250" x 2.50" thick

c) Tolerance on all dimensions are +0.030"/-0.000"

d) Grain direction along 7.750" length

e) Material: 7075-T7351 (QQ-A-250/12)

f) Material certification required

CL 11/09/11 40

110

Receive & Inspect for Damage & Mat'l Certs

0.00



Packaging

Memo

0.00

Packaging

Ensure material certification is attached

CL 11/15/11 20

Work Order ID 73421

Wednesday, August 31, 2011 3:16:33 PM

Page 2

Item ID: D6101-007

Accept

Setup Start

Revision ID:

Stop

Item Name: Saddle Billet

Start Date: 8/31/2011 Start Qty: 40.00

Cust Item ID:

Required Date: 9/14/2011 Req'd Qty: 40.00

Customer:

Reference:

Run Start

Approvals: Process Plan:

Date:

Tooling:

Date:

Stop

QC:

Date:

SPC (Y/N):

Date:

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

120

QC6- Inspect dimensions to drawing

0.00

and 11/09/15

20



QC

Memo

0.00

Quality Control

Ensure Material certification comply to Dwg D6101

130

Identify as per dwg & Stock Location: *MAT42*

0.00

and 11/09/15

20



Packaging

Memo

0.00

Packaging

140

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

11/9/15
MF
11-09-26

Picklist Print

Wednesday, August 31, 2011 3:16:31 PM

Page 1

Work Order ID: 73421

Parent Item: D6101-007

Parent Item Name: Saddle Billet





Start Date: 8/31/2011

Required Date: 9/14/2011


Start Qty: 40.00

Required Qty: 40.00

Comments: IPP A: 01.05.04: New Issue EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-007P  7075-T7351 8.25X7.75X2.5		Purchased	No			110	Each	0.0000		40		8/31/11	

SPECIFICATION CONTROL DRAWING



PURCHASE MATERIAL ACCORDING TO THE FOLLOWING TABLE. SPECIFY ALLOY, LENGTH x WIDTH x THICK (+0.030/-0.000), AND GRAIN DIRECTION AS SHOWN.

TOLERANCES ON ALL DIMENSIONS ARE +0.030/-0.000.

ALL DIMENSIONS ARE IN INCHES.

△ ACCEPTABLE SPECIFICATIONS FOR 7075-T7351 ALUMINUM ARE AMS-QQ-A-250/12, QQ-A-250/12, OR ASTM B209

Part No.	Alloy	Length	Width	Thick	Grain Direction
D6101-001	7075-T7351 (QQ-A-250/12)	6.000	6.250	2.000	Along 6.000 Length
D6101-003	7075-T7351 (QQ-A-250/12)	7.875	6.250	2.000	Along 7.875 Length
D6101-005	7075-T7351 (QQ-A-250/12)	5.000	8.250	2.500	Along 5.000 Length
D6101-007	7075-T7351 (QQ-A-250/12)	7.750	8.250	2.500	Along 7.750 Length
D6101-009	7075-T7351 (QQ-A-250/12)	8.700	8.250	2.500	Along 8.700 Length
D6101-011	7075-T7351 (QQ-A-250/12)	9.700	8.250	2.500	Along 9.700 Length
D6101-013	7075-T7351 (QQ-A-250/12)	10.100	8.250	2.500	Along 10.10 Length
D6101-015	7075-T7351 (QQ-A-250/12)	9.450	6.250	2.500	Along 9.450 Length
D6101-017	7075-T7351 (QQ-A-250/12)	6.350	6.250	2.250	Along 6.350 Length

△ B

RELEASED
09/07/15/WB

NOT COPY
RETURN TO
DRAWING
UNCONTROLLED COPY
SUBMIT TO AMENDMENT
WITH NOTICE
ORDER
73921

B	ADDED D6101-015/-017, ADD ASTM B209	RF	09.04.23
A	NEW ISSUE	CP	01.03.30
REV.	DESCRIPTION	BY	DATE
DESIGN	CP	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D6101	SHEET 1 OF 1
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	SADDLE BILLET, 7075	NTS
DATE	09.04.23	COPYRIGHT © 2001 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

**Castle Metals®**

A. M. Castle & Co.

PACKING SLIP

Page 1 of 1

Shipment No:978706

Ship From: A. M. Castle & Co. (Canada) Inc. MONTREAL 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN		Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped 14-SEP-2011	F.O.B. ORIGIN	Freight Terms Prepaid		Carrier MANITOULIN		BOL No 978706-2	

Shipment Details	Final Destination Branch - MON
-------------------------	---------------------------------------

Order No	Line No	Item No	Description	
1690786	2	752241.MO	2.5000.PL.7075.T7351.ALUMINUM.USI.48.5000.144.5000 CUT 2SIDED TO 8.25 IN (+ .0310/- .0000 IN (GRAIN TO RUN ALONG 7.75")) X 7.75 IN (+ .0310/- .0000 IN (GRAIN TO RUN ALONG 7.75")) - ALUMINUM PLATE SAW SPECIFICATIONS: QQ-A-250/12	
Purchase Order No		Part Number	Ordered Qty	Invoice Qty
14819		YOUR ITEM NUMBER: D6101-007	20 PCS	20 PCS

Details							
Delivery No. 94039326	Mill	Heat Number 485604A3	Mech Id	PCS 20	Width (IN)	Length (IN)	Shipped Qty(LBS) 330.63

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.			
We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.			
Reviewed by Authorized Castle Metals Representative:		Date:	

SHIP TO: CASTLE % CASTLE AEROSPACE 3050 SOUTH HYDRAULIC WICHITA, KS 67216
SOLD TO: CAS AERO%AM CASTLE METALS ATTN: BOB OHR %ACCTS PAYABLES 3400 NORTH WOLF ROAD FRANKLIN PARK, IL 60131

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4172660

CUSTOMER PO NUMBER: 15132	WORK PACKAGE:	CUSTOMER PART NUMBER: 6879 AMC A97075-60	SHIP RUN/LOAD ID: 101636/8	GOV'T CONTRACT NUMBER:		
KAISER ORDER NO: 1087324	LINE ITEM: 1	SHIP DATE: 29-SEP-2009	ALLOY: 7075	CLAD: BARE	TEMPER: T7351	PRODUCT DESCRIPTION: Sawed Plate
WEIGHT SHIPPED: 41304 LB	QUANTITY: 23 PCS EST.	B/L NUMBER: 2024219	GAUGE: 2.5000 IN	DIAMETER/WIDTH: 48.500 IN	LENGTH: 144.500 IN	

Certified Specifications

AMS 4078/RevG
ASTM B 209/Rev07
BSS 7055/RevA
DPS 4.713/RevAH
GSS16100/RevG/Amd1

AMS-QQ-A-250/12
ASTM B 594/Rev06
CMMP 025/RevS
EAC MS1011/RevE
MMS 159/RevN

AMS-STD-2154
BAC 5439/RevH
CSTI 006/RevC
GAMPS 9101/RevB
PS 21211/RevK

Test Code: 4297

Test Results

Lot: 479698A2 Cast 268

Drop 23

Ingot 1

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	71.5 : 71.8 (493 : 495)	59.8 : 60.1 (412 : 414)	11.3 : 11.6

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	40.9 Min	41.5 Max
(MS/M) :	23.7 Min	24.1 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.10	0.20	1.5	0.03	2.5	0.19	5.7	0.04	0.01	0.02	TOT 0.05

TEST REPORTS AND
DATA CONFIRMED



**KAISER
ALUMINUM****CERTIFIED TEST REPORT**

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

Serial Number
4172660

Lot: 485572A2 Cast 271 Drop 26 Ingot 1

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	70.8 : 72.4 (488 : 499)	58.4 : 60.2 (403 : 415)	10.9 : 11.2

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	40.6 Min	40.9 Max
(MS/M) :	23.5 Min	23.7 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.10	0.22	1.5	0.04	2.5	0.20	5.7	0.03	0.01	0.02	TOT 0.05

Lot: 485579A7 Cast 271 Drop 27 Ingot 1

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	71.0 : 72.3 (490 : 499)	58.9 : 60.1 (406 : 414)	10.7 : 11.1

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	39.7 Min	40.6 Max
(MS/M) :	23.0 Min	23.5 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.11	0.20	1.5	0.08	2.6	0.19	5.6	0.02	0.01	0.01	TOT 0.05

**KAISER
ALUMINUM**

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4172660

Lot: 485604A3 Cast 271 Drop 23 Ingot 2

(ASTM E8/B557)
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	71.8 : 72.0 (495 : 496)	59.9 : 60.4 (413 : 416)	10.6 : 10.9

(ASTM E1004)
(EN 2004-1)

Conductivity %IACS :	41.3 Min	41.3 Max
(MS/M) :	24.0 Min	24.0 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.11	0.21	1.5	0.04	2.5	0.20	5.6	0.04	0.01	0.01	TOT 0.05

Lot: 485663A9 Cast 271 Drop 29 Ingot 4

(ASTM E8/B557)
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	70.8 : 73.3 (488 : 505)	58.7 : 62.7 (405 : 432)	10.8 : 11.5

(ASTM E1004)
(EN 2004-1)

Conductivity %IACS :	39.0 Min	42.0 Max
(MS/M) :	22.6 Min	24.4 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.09	0.18	1.4	0.04	2.4	0.20	5.7	0.03	0.01	0.01	TOT 0.05

KAISER

ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4172660

Lot: 485715A7 Cast 271 Drop 21 Ingot 4

(ASTM E8/B557)
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	71.4 : 72.4 (492 : 499)	59.2 : 60.9 (408 : 420)	11.2 : 11.4

(ASTM E1004)
(EN 2004-1)

Conductivity %IACS :	40.9 Min	41.2 Max
(MS/M) :	23.7 Min	23.9 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.11	0.21	1.5	0.04	2.5	0.19	5.5	0.04	0.01	0.01	TOT 0.05

Lot: 485730A6 Cast 271 Drop 29 Ingot 3

(ASTM E8/B557)
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	71.6 : 74.0 (494 : 510)	59.9 : 63.3 (413 : 436)	11.3 : 11.3

(ASTM E1004)
(EN 2004-1)

Conductivity %IACS :	39.3 Min	42.1 Max
(MS/M) :	22.8 Min	24.4 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.09	0.18	1.4	0.04	2.4	0.20	5.7	0.03	0.01	0.01	TOT 0.05

ALLOY LIMITS

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075 MIN	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

**KAISER
ALUMINUM**

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4172660

TEST NOTES

7075-T7351 plate 3.501-4.000" thick, if
ultrasonically inspected, meets requirements of CMMP025 per
SDR CMMP025-KaiserT-3. 7075-T7351 plate 4.001-5.000" thick,
if ultrasonically inspected, meets requirements of CMMP025
per
SDR CMMP025-KaiserT-2.

Metal represented by this test report was immersion
ultrasonically tested from one side and meets the Class A
and Class B requirements of all specifications referenced
on this test report.

CERTIFICATION

KAISER ALUMINUM FABRICATED PRODUCTS, LLC (KAISER) HEREBY CERTIFIES THAT METAL SHIPPED UNDER THIS ORDER WAS MELTED IN THE UNITED STATES OF AMERICA OR A QUALIFYING COUNTRY PER DFARS 225.872-1(s), WAS MANUFACTURED IN THE UNITED STATES OF AMERICA, AND MEETS THE REQUIREMENTS OF DFARS 252.225 FOR DOMESTIC CONTENT. THIS MATERIAL HAS BEEN INSPECTED, TESTED, AND FOUND IN CONFORMANCE WITH THE REQUIREMENTS OF THE APPLICABLE SPECIFICATIONS AS INDICATED HEREIN. ALL METAL WHICH IS SOLUTION HEAT TREATED COMPLIES WITH AMS 2772. ANY WARRANTY IS LIMITED TO THAT SHOWN ON KAISER'S STANDARD GENERAL TERMS AND CONDITIONS OF SALE. TEST REPORTS SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF KAISER ALUMINUM FABRICATED PRODUCTS, LLC LABORATORY. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW. ISO-9001:2000 CERTIFIED.

BILL POYNOR, LABORATORIES SUPERVISOR

